

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method for enhanced and controlled delivery of a biologically active agent into the spinal structures and/or the brain of a mammal, particularly a human being that circumvents the blood brain barrier, which includes the steps of:

providing an agent drug delivery device via catheter to the epidural space of the mammal and positioning said device within the epidural space,

advancing a donor iontophoresis electrode into the epidural space of the mammal,

applying a second electrode or receptor iontophoresis electrode that is constructed and arranged to be positioned at a determined internal or external position of the mammal's body but in complementary energy gradient positioning to the first electrode,

providing a potential gradient so that delivery of the biologically active agent is accomplished in a direction from said first electrode means directly into the spinal structures and/or the brain thereby essentially bypassing the blood brain barrier of the mammal; and thereby,

delivering said biologically active agent directly to the spinal structures and/or to the brain of said mammal.

2. (Original) A method for enhanced and controlled delivery of a biologically active agent into the spinal structures and/or the brain of a mammal, particularly a human being that circumvents the blood brain barrier, which includes the steps of:

providing an agent drug delivery device via catheter to the epidural space of the mammal and positioning said device within the epidural space,

advancing a phonophoresis device in the epidural space of the mammal,  
providing an energy gradient so that delivery of the biologically active agent is  
accomplished in a direction from said phonophoresis device directly into the spinal structures  
and/or the brain thereby essentially bypassing the blood brain barrier of the mammal, and  
thereby,

delivering said biologically active agent to the spinal structures and/or to the brain of said  
mammal.

3.-4. Canceled.

5. (Original) A method as claimed in claim 1 wherein a biosensor is used for feedback  
regulated delivery of the biologically active agent to the spinal structures and/or brain of the  
mammal.

6. (Original) A method as claimed in claim 5 wherein the biosensor is used for feedback  
regulated delivery of the biologically active agent in the treatment of chronic pain.

7.-12. Canceled.

13. (Previously Presented) A method, using an implantable device, for enhanced and  
controlled delivery of a biologically active agent into the spinal structures and/or the brain of a  
mammal, particularly a human being, and that circumvents the systemic circulation, which  
comprises the steps of:

(i) directing at least one end of a catheter containing a delivery device to the epidural  
space of a mammal and positioning said catheter and delivery device within the epidural space to  
provide an effective arrangement for delivering a biologically active agent which is contained in  
said device into the mammal;

(ii) advancing a first electrode from said delivery device that is constructed and arranged to be positioned in the epidural space of a mammal into the epidural space of a mammal and act as a donor electrode;

(iii) applying a second electrode that is constructed and arranged to be positioned at a determined internal or external position of the mammal's body and act as a receptor electrode;

(iv) electrically connecting said first and second electrodes to a power control unit that includes an integrated (pre)-programmable power source, the power source being operated by a microprocessor, said power source providing a potential gradient so that delivery of a biologically active agent is accomplished in a direction from said first electrode directly into the spinal structures and / or the brain thereby essentially bypassing the systemic circulation of a mammal; and

(v) delivering said biologically active agent to the spinal structures and/or to the brain of said mammal using an active transport means.

14. (Previously Presented) A method according to claim 13 wherein the active transport means is iontophoresis and/or phonophoresis.

15. (Previously Presented) A method according to claim 13 wherein said power source provides an electro-potential gradient or ultrasound.

16. (Previously Presented) A method as claimed in claim 13 wherein a biosensor is connected to the power control unit for feedback regulated delivery of a biologically active agent to the spinal structures and/or the brain of a mammal.

17. (Previously Presented) A method as claimed in claim 16 wherein the biosensor is adapted to register biopotentials for feedback regulated delivery of a biologically active agent in the treatment of chronic pain, hyperkinesis or any other pathological symptoms or diseases.

18. (Previously Presented) A method as claimed in claim 13 wherein the donor electrode includes a drug reservoir or drug transfer part for storage of the biologically active agent, an impermeable part that is not involved in drug transfer, and an electroconductive member.

19. (Previously Presented) ) A method as claimed in claim 13 wherein the receptor electrode is an iontophoresis electrode which includes an electrolyte-containing compartment for storage of electrolyte, an electroconductive member and a membrane through which electrolyte transport occurs.

20. (Previously Presented) A method according to claim 13 that includes a means for in situ refilling of said device.

21. (Previously Presented) A method as claimed in claim 13 wherein the donor electrode includes a means for expansion thereby allowing the drug reservoir or transfer part to make an intimate contact with the dura mater.

22. (Previously Presented) A method as claimed in claim 13 wherein an expansion means is operably connected to the drug delivery device, the expansion means being configured to expand the donor electrode in a direction substantially radial thereby promoting an improved contact interface between the drug reservoir or transfer part and the dura mater.

23. (Previously Presented) A method as claimed in claim 20 wherein an expansion means is provided by reversible swelling properties of the drug reservoir or transfer part that is induced by chemical or physical changes such as for example, electric current, pH, temperature or any combinations thereof.

24. (Previously Presented) A method as claimed in claim 13 wherein the drug delivery part of the device is shaped following expansion according to the human epidural space.

25. (Previously Presented) A method according to claim 13 wherein said first electrode is a reservoir-type iontophoresis electrode holding a supply of the selected biologically active agent in a formulation suitable for iontophoretic or phonophoretic delivery and/or wherein said second electrode is a reservoir-type iontophoresis electrode holding a supply of electrolyte.

26. (Previously Presented) A method according to claim 13, wherein said first and second electrodes comprise an electroconductive part having electroconductive material selected from the following group: stainless steel, gold, silver, titanium, copper, zinc, graphite and metal salts (e.g. silver chloride).

27. (Previously Presented) A method according to claim 13 wherein said reservoir of said first and/or second electrode means is formed of a polymer matrix containing an electroconductive filler material selected from the group consisting of a metal powder, powdered graphite and carbon fibers.

28. (Previously Presented) A method according to claim 25 wherein said reservoir is constructed of material that is adapted to absorb, hold and release the biologically active agent and/or electrolyte.

29. (Previously Presented) A method according to claim 25 wherein said reservoir is made of a hydrogel that holds the biologically active agent and/or electrolyte.

30. (Previously Presented) A method according to claim 13 wherein the catheter-based device includes a mean for endoscopic controlled installation such as an optic fiber.

31. (Previously Presented) A method according to claim 13 wherein the catheter-based device can be removed entirely from the epidural space following positioning of the donor electrode.